

# **CLEANER BSG**

Item No 1132

## Special cleaning agent for removing oily and fatty soiling

#### FIELDS OF APPLICATION

CLEANER BSG is a highly efficient cleaning agent for removing oily and fatty soiling as well as general dirt from all natural and artificial stone surfaces such as concrete blocks, precast elements, facades, and slabs.

## **APPLICATION QUANTITY**

Depending on the surface structure, its absorbency, and its contamination level, approx.  $40 - 60 \text{ g/m}^2$  are necessary.

## PROCESSING INDICATIONS

CLEANER BSG is either applied undiluted or diluted to the surface to be treated.

If a diluted mixture is requested dilute CLEANER BSG with clean water in the ratio 1:1, apply and allow to work.

After 5 to 10 minutes remove oily and fatty soiling with a brush, scrubbing brush or cleaning automat.

After the mixture is absorbed, the surface should be rinsed with water. Repeat treatment if necessary.

This product is classified as hazardous according to the CLP regulations. See safety data sheet for further information.

## **PACKAGING**

- 20 I can

## **WORKING PRINCIPLE**

CLEANER BSG reacts chemically with the existing soiling. In so doing the stain becomes water soluble and can be removed easily with water.

## **TECHNICAL DATA**

Homogeneity	homogenous
Colour	yellow
State	liquid
Density	1.05 ± 0.02 g/cm <sup>3</sup>
Workability	from +1 °C
Shelf life	approx. 1 year from date of production if stored properly
Storage conditions	Store in unopened, original sealed packag- ing between +5 °C and +25 °C. Protect from frost and insolation.



## **REMARKS**

This information describes the application- and processing possibilities of a product and its operation principles under regular conditions. Having no influence on the further application and processing, especially in conjunction with other construction materials, the given indication is neither a warranty in respect of the product's properties or its fitness for a particular purpose nor a full instruction of use.

This information, any other recommendation or verbal advice are not binding and do not infer to any liability or legal demand.

Due to continuous further development, the most recent Technical Data Sheet is valid and will be supplied on request. All orders are accepted subject to our current general terms and conditions.

Edition: 29 March 2023

SUITABILITY- AND PRE-TESTS ARE NECESSARY BEFORE APPLYING THE CONCRETE ADMIXTURE!