

REINIGER Z

Item No 1110

Liquid cleaning agent for removing concrete and cement residues

FIELDS OF APPLICATION

REINIGER Z is a special formulated liquid agent for removing concrete and cement residues from hardened concrete or from all types of construction equipment which gets into contact with fresh concrete. REINIGER Z removes also rust, fat and oil.

APPLICATION QUANTITY

The application quantity depends on the surface structure, its absorbency and its contamination level and needs to be determined in each individual case.

PROCESSING INDICATIONS

REINIGER Z should be applied diluted with water in the ratio 1:1 or 1:2 usually. The watery solution is then applied by brush or broom. Finally, the cleaned surfaces are thoroughly washed with clean water.

For concrete mixers and construction machines Recommended dilution ratio: 1:5.

For removing cement residues on concrete elements and brick facades

Recommended dilution ratio: 1:5 up to 1:10.

For removing rust

Recommended dilution ratio: undiluted or up to 1:3.

This product is classified as hazardous according to the CLP regulations. See safety data sheet for further information.

PACKAGING

- 30 I can
- 200 I barrel
- 1000 I container

WORKING PRINCIPLE

REINIGER Z does not contain chloride and phosphate. Its ingredients are up to 90 per cent biodegradable.

TECHNICAL DATA

Homogeneity	homogenous
Colour	yellowish
State	liquid
Density	1.10 ± 0.03 g/cm ³
Workability	from +1 °C
Shelf life	approx. 1 year from date of production if stored properly
Storage conditions	Store in unopened, original sealed packag- ing between +5 °C and +25 °C. Protect from frost and insolation.



REMARKS

This information describes the application- and processing possibilities of a product and its operation principles under regular conditions. Having no influence on the further application and processing, especially in conjunction with other construction materials, the given indication are neither a warranty in respect of the product's properties or its fitness for a particular purpose nor a full instruction of use.

This information, any other recommendation or verbal advice are not binding and do not infer to any liability or legal demand.

Due to continuous further development, the most recent Technical Data Sheet is valid and will be supplied on request. All orders are accepted subject to our current general terms and conditions.

Edition: 11 September 2019

SUITABILITY- AND PRE-TESTS ARE NECESSARY BEFORE APPLYING THE CONCRETE ADMIXTURE!